

# Industrial Air blow gun`s

## Datasheet



Manual blowing with compressed air is often used in industry to clean, dry, or cool objects. All Silvent air guns offer the optimal combination of high blowing force, low energy consumption, and low noise levels, while also being ergonomically designed for professional use.

Adresse:  
Nøtteveien 27  
1715 Yven (Sarpsborg)

Telefon:  
+47 917 62 249

Org.nr.:  
922 031 193 MVA

## Air blow gun ProOne + BSP

Blowing Power: 4,3 N



### Pro One +

Blåskraft (N):	4.3
Ljudnivå:	82
Luftförbrukning (Nm <sup>3</sup> /h):	24
Material (munstycke):	1.4404 (316L)

---

## Air blow gun 59002W

Blowing Power: 6 N



Adresse:  
Nøtteveien 27  
1715 Yven (Sarpsborg)

Telefon:  
+47 917 62 249

Org.nr.:  
922 031 193 MVA

## Technical data

### Tekniske data



Produkt:	Pro One +	59002W
Blåsende kraft	15,2 oz	1,3 kg
Luftforbruk (scfm)	14.1	17.7
Lydnivå (dB (A))	82	80
Dyseteknologi	Multi laval	Slot
Materiale (dyse)	1.4404 (316L)	ZYTEL
Forbindelse	NPT 1/4 "	NPT 1/4 "
Tilkoblingstype	Hunn	Hunn
Vekt i pund)	0,331	0,368
Maks temp. (° F)	158	158
Max op. trykk (psi)	100	100
Oppfylle OSHA-kravene	Ja	Ja
Materiell spesifikasjon	EN 1.4316, EN 1.4305, EN 1.4310, AL, PA66, TPE, TPU, NBR, PU	Delrin 100P BK602, NBR 70, EN 1.0718, Fzb, Zytel HTN FG52G35 HSL BK011, Desmopan 487

## Safetycover air blow gun

Effectively protects the body and eyes against splashes and chips when blowing, e.g. into holes.



Adresse:  
Nøtteveien 27  
1715 Yven (Sarpsborg)

Telefon:  
+47 917 62 249

Org.nr.:  
922 031 193 MVA